



# Mi-Glow®



## Mi-Glow® 778S-RTU

### Physical Characteristics

Dark green solution with a slight detergent odor.

### Particle Certification

Particles meet or exceed all relevant industry specifications, including but not limited to ASTM E 1444, AMS 3044, MIL-STD-271, NAVSEA 250-1500-1, NTR-1E. Certification is included with each shipment.

### Particle Color

Flourescent yellow-green

### Average Particle Size

5 µm

### AMS Standard

3044

### SAE Sensitivity\*

8

[\*Representative of the number of lines shown on a tool steel ring as defined in SAE AS5282.]

### Temperature Range

32-120°F (0-49°C)

### Related Product Information:

Material Safety Data Sheet

Technical Bulletin 276

### Item #

FG-3572

### Package Size

6 quarts/case

Mi-Glow® 778S-RTU is a Ready-to-Use water bath packaged in a hand-held spray bottle. The water bath contains Mi-Glow® 800 fluorescent yellow-green particles premixed with liquid Wetting Agent 771. It is designed for revealing very fine discontinuities in finished products using UV-A light.

**Stroud Systems, Inc.**  
600 North Shepherd Drive, Suite 115  
Houston, TX 77007-1324

713-861-3270

sales@stroudsystems.com



## Circle Systems, Inc.

www.circlesafe.com

P.O. Box 1228, Hinckley, Illinois 60520

ph 815.286.3271 | fax 815.286.3352

email customerservice@circlesafe.com