

SAFETY DATA SHEET

Section 1: IDENTIFICATION

1.1 PRODUCT IDENTIFIER

Product Name: ZL-19

Product Code: Not available.

1.2 RECOMMENDED USE OF CHEMICAL AND RESTRICTIONS ON USE

Use:

Non-Destructive Testing.

1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

Name/Address:

Magnaflux 155 Harlem Avenue, Glenview, Illinois 60025

 Telephone Number:
 847-657-5300

1.4 EMERGENCY TELEPHONE NUMBER

Emergency Telephone Number: CHEMTREC 800-424-9300

Date of Preparation:

August 15, 2014

Version #: 1.0

Section 2: HAZARD(S) IDENTIFICATION

2.1 CLASSIFICATION OF THE CHEMICAL ACCORDING TO OSHA HAZCOM 2012

Hazard class

Skin irritation 2 Serious eye damage 1 Skin sensitization 1 Aspiration toxicity 1

2.2 LABEL ELEMENTS ACCORDING TO OSHA HAZCOM 2012

Hazard Pictogram:



Signal Word:	Danger
Hazard Statement:	Causes skin irritation. Causes serious eye damage. May cause an allergic skin reaction. May be fatal if swallowed and enters airways.
Prevention:	Wash hands thoroughly after handling. Wear protective gloves/eye protection/face protection. Avoid breathing gas/mist/vapors/spray. Contaminated work clothing must not be allowed out of the workplace.
Response:	If on skin: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. If swallowed:





Immediately call a poison center/doctor. Do NOT induce vomiting.



Storage:	Store locked up.
Disposal:	Dispose of contents and container in accordance with all local,
	regional, national and international regulations.

2.3 ADDITIONAL INFORMATION

Hazards not otherwise classified: Not applicable.

23 % of the mixture consists of ingredient(s) of unknown acute toxicity.

This product is a hazardous chemical as defined by NOM-018-STPS-2000.

Mexico Classification:



Blue = Health Red = Flammability Yellow = Reactivity White = Special

Hazard Rating: 0 = minimal, 1 = slight, 2 = moderate, 3 = severe, 4 = extreme

WHMIS Classification(s):

Class D2B - Skin Sensitization Class D2B - Skin/Eye Irritant

WHMIS Hazard Symbols:



WHMIS Signal Word:

WARNING

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 MIXTURES

Ingredient	UN #	H / F/ R / *	CAS No	Wt. %
White mineral oil, petroleum	Not available	Not available	8042-47-5	40 - 70
Alcohols, C12-15, ethoxylated propoxylated	Not available	Not available	68551-13-3	7 - 13
Alcohols, C12-14-secondary, ethoxylated	Not available	Not available	84133-50-6	5 - 10
9-Octadecenamide, N-(2-hydroxypropyl)-, (Z)-	Not available	Not available	111-05-7	1 - 5
Terpineol	Not available	Not available	8000-41-7	1 - 5
Propylene oxide	UN1280	3/4/2	75-56-9	< 0.1
1,4-Dioxane	UN1165	2/3/1	123-91-1	< 0.1
Ethylene oxide	UN1040	3/4/3	75-21-8	< 0.1

The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

* Per NOM-018-STPS-2000



Section 4: FIRST- AID MEASURES

4.1 DESCRIPTION OF THE FIRST AID MEASURE

Eye:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lenses, if worn. Get medical attention immediately.
Skin:	In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Call a physician if irritation develops and persists.
Inhalation:	If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.
Ingestion:	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.
4.2 MOST IMPORTANT SYMPT	OMS AND EFFECTS, BOTH ACUTE AND DELAYED
Eye:	Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. May cause burns.
Skin:	Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin. May cause an allergic skin reaction.
Inhalation:	May cause respiratory tract irritation. Inhalation of vapors formed during heating may cause drowsiness, dizziness, and nausea.
Ingestion:	May be fatal if swallowed and enters airways. May cause stomach distress, nausea or vomiting. This product may be aspirated into the lungs and cause chemical pneumonitis.
4.3 INDICATION OF ANY IMME	DIATE MEDICAL ATTENTION AND SPECIAL TREATMENTS NEEDED
Note to Physicians:	Symptoms may not appear immediately.
Specific Treatments:	In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).
	Section 5: EIRE-EIGHTING MEASURES

5.1 FLAMMABILITY

Flammability:

Not flammable by WHMIS/OSHA/NOM-018-STPS-2000 criteria.

5.2 EXTINGUISHING MEDIA

Suitable Extinguishing Media: Carbon dioxide, foam.

Unsuitable Extinguishing Media: Do not use water.

5.3 SPECIAL HAZARDS ARISING FROM THE CHEMICAL

Products of Combustion: May include, and are not limited to: oxides of carbon, oxides of nitrogen.

Explosion Data:

Sensitivity to Mechanical Impact: Not available.

Sensitivity to Static Discharge: Not available.

5.4 SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE FIGHTERS

Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA). Use water spray to keep fire-exposed containers cool.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

6.2 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING - UP

Methods for Cleaning-Up:	Scoop up material and place in a disposal container. Provide ventilation. Section 7: HANDLING AND STORAGE
Methods for Containment:	Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).

7.1 PRECAUTIONS FOR SAFE HANDLING

AAGNAFLUX

Handling:	Do not get in eyes, on skin, or on clothing. Avoid breathing vapor or mist. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke. (See section 8)
General Hygiene Advice:	Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.
7.2 CONDITIONS FOR SAFE ST	ORAGE, INCLUDING ANY INCOMPATIBILITIES
Storage:	Keep out of the reach of children. Keep container tightly closed. Store locked up. Protect from sunlight. Keep away from heat, sparks, and flame. (See section 10)

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 CONTROL PARAMETERS

Exposure Guidelines

Occupational Exposure Limits			
Ingredient	OSHA-PEL	ACGIH-TLV	
White mineral oil, petroleum	Not available.	Not available.	
Alcohols, C12-15, ethoxylated propoxylated	Not available.	Not available.	
Alcohols, C12-14-secondary, ethoxylated	Not available.	Not available.	
9-Octadecenamide, N-(2-hydroxypropyl)-, (Z)-	Not available.	Not available.	
Terpineol	Not available.	Not available.	
Propylene oxide	100 ppm; 240 mg/m ³	2 ppm	
1,4-Dioxane	100 ppm	20 ppm	
Ethylene oxide	1 ppm	1 ppm	

8.2 EXPOSURE CONTROLS

Engineering Controls:

Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.



8.3 INDIVIDUAL PROTECTIVE MEASURES

Personal Protective Equipment:

Eye/Face Protection:Wear approved eye protection (properly fitted dust- or splash-proof
chemical safety goggles) and face protection (face shield).Skin Protection:Hand Protection:Wear chemical resistant gloves.Body Protection:Wear suitable protective clothing.Respiratory Protection:In case of insufficient ventilation, wear suitable respiratory equipment.
Respirator selection must be based on known or anticipated exposure
levels, the hazards of the product and the safe working limits of the
selected respirator.General Health and Safety
Measures:Do not eat, smoke or drink where material is handled, processed or
stored. Wash hands carefully before eating or smoking.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Oily.
Color:	Green.
Odor:	Mild odor.
Odor Threshold:	Not available.
Physical State:	Liquid.
pH:	Neutral.
Melting Point/Freezing Point:	Not available.
Initial Boiling Point and Boiling Range:	~ 235 °C (~ 455 °F)
Flash Point:	> 93 °C (> 200 °F)
Evaporation Rate:	Negligible.
Flammability:	Not flammable.
Lower Flammability/Explosive Limit:	1%
Upper Flammability/Explosive Limit:	6%
Vapor Pressure:	< 0.10 mm @ 21 °C (70 °F)
Vapor Density:	>1 (Air = 1)
Relative Density/Specific Gravity:	0.88
Solubility:	Emulsifiable.
Partition coefficient: n-octanol/water:	Not available.
Auto-ignition Temperature:	Not available.
Decomposition Temperature:	Not available.
Viscosity:	5.75 cSt @ 40 °C (104 °F)



Oxidizing Properties:	Not available.
Explosive Properties:	Not available.

Section 10: STABILITY AND REACTIVITY

10.1 REACTIVITY

No dangerous reaction known under conditions of normal use.

10.2 CHEMICAL STABILITY

Stable under normal storage conditions.

10.3 POSSIBILITY OF HAZARDOUS REACTIONS

No dangerous reaction known under conditions of normal use.

10.4 CONDITIONS TO AVOID

Heat. Incompatible materials. Protect from sunlight.

10.5 INCOMPATIBLE MATERIALS

Strong oxidizing agents.

10.6 HAZARDOUS DECOMPOSITION PRODUCTS

May include, and are not limited to: oxides of carbon, oxides of nitrogen.

Section 11: TOXICOLOGICAL INFORMATION

11.1 INFORMATION ON TOXICOLOGICAL EFFECTS

Likely Routes of Exposure: Skin contact, skin absorption, eye contact, inhalation and ingestion.

Symptoms related to physical/chemical/toxicological characteristics:

- **Eye:** Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. May cause burns.
- **Skin:** Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin. May cause an allergic skin reaction.
- **Ingestion:** May be fatal if swallowed and enters airways. May cause stomach distress, nausea or vomiting. This product may be aspirated into the lungs and cause chemical pneumonitis.
- **Inhalation:** May cause respiratory tract irritation. Inhalation of vapours formed during heating may cause drowsiness, dizziness, and nausea.

Acute Toxicity:

Ingredient	IDLH	LC50	LD50
White mineral oil, petroleum	Not available.	Inhalation > 5 mg/L 4h, rat	Oral >5000 mg/kg, rat Dermal >2000 mg/kg, rabbit
Alcohols, C12-15, ethoxylated propoxylated	Not available.	Not available.	Not available.
Alcohols, C12-14-secondary, ethoxylated	Not available.	Not available.	Oral 2100 mg/kg, rat
9-Octadecenamide, N-(2- hydroxypropyl)-, (Z)-	Not available.	Not available.	Not available.



			Oral 2900 mg/kg, rat	
Terpineol	Not available.	Not available.	Dermal >3000 mg/kg, rabbit	
		Inhalation		
		4000 ppm 4h, rat;	Oral 380 mg/kg, rat	
Propylene oxide	Ca [400 ppm]	1740 ppm 4h, mouse	Dermal 1500uL/kg, rabbit	
		Inhalation	Oral 4200 mg/kg, rat	
1,4-Dioxane	Ca [500 ppm]	48.5 mg/L 4 h, rat	Dermal 7600 mg/kg, rabbit	
		Inhalation		
Ethylene oxide	Ca [800 ppm]	800 ppm 4h, rat	Oral 72 mg/kg, rat	
Coloulated everall Chamical Acute Taxisity Values				
Calcula	Calculated overall Chemical Acute Toxicity Values			
LC50 (inhalation)	L	D50 (oral)	LD50 (dermal)	

Not available.	> 2000 mg/kg, ra	at > 2000 mg/kg, rabbit	
Ingredient		Chemical Listed as Carcinogen or Potential Carcinogen (NTP, IARC, OSHA, ACGIH, CP65)*	
White mineral oil, petroleum		Not listed.	
Alcohols, C12-15, ethoxylated propoxylated		Not listed.	
Alcohols, C12-14-secondary, ethoxylated		Not listed.	
9-Octadecenamide, N-(2-hydroxypropyl)-, (Z)-		Not listed.	
Terpineol		Not listed.	
Propylene oxide		G-A3, I-2B, N-2, CP65	
1,4-Dioxane		G-A3, I-2B, N-2, CP65	
Ethylene oxide		O, G-A2, I-1, N-1, CP65	

* See Section 15 for more information.

11.2 DELAYED, IMMEDIATE, AND CHRONIC EFFECTS OF SHORT- AND LONG-TERM EXPOSURE

Skin Corrosion/Irritation:	Causes skin irritation.	
Serious Eye Damage/Irritation:	Causes serious eye damage.	
Respiratory Sensitization:	Based on available data, the classification criteria are not met.	
Skin Sensitization:	May cause an allergic skin reaction.	
STOT-Single Exposure:	Based on available data, the classification criteria are not met.	
Chronic Health Effects:		
Carcinogenicity:	Based on available data, the classification criteria are not met.	
Germ Cell Mutagenicity:	Based on available data, the classification criteria are not met.	
Reproductive Toxicity:		
Developmental:	Based on available data, the classification criteria are not met.	
Teratogenicity:	Based on available data, the classification criteria are not met.	
Embryotoxicity:	Based on available data, the classification criteria are not met.	
Fertility:	Based on available data, the classification criteria are not met.	
STOT-Repeated Exposure:	Based on available data, the classification criteria are not met.	
Aspiration Hazard:	May be fatal if swallowed and enters airways.	
Toxicologically Synergistic Materials: Not available.		
Other Information:	Not available.	

SAFETY DATA SHEET



Section 12: ECOLOGICAL INFORMATION **12.1 ECOTOXICITY** Acute/Chronic Toxicity: May cause long-term adverse effects in the aquatic environment. **12.2 PERSISTENCE AND DEGRADABILITY** Not available. **12.3 BIOACCUMULATIVE POTENTIAL Bioaccumulation:** Not available. **12.4 MOBILITY IN SOIL** Not available. **12.5 OTHER ADVERSE EFFECTS** Not available. Section 13: DISPOSAL CONSIDERATIONS **13.1 WASTE TREATMENT METHODS** This material must be disposed of in accordance with all local, **Disposal Method:** state, provincial, and federal regulations. Other disposal recommendations: Not available. Section 14: TRANSPORT INFORMATION **14.1 UN NUMBER** DOT TDG NOM-004-SCT2-1994 Not regulated. Not regulated. Not regulated. **14.2 UN PROPER SHIPPING NAME** DOT TDG NOM-004-SCT2-1994 Not applicable. Not applicable. Not applicable. 14.3 TRANSPORT HAZARD CLASS (ES) DOT TDG NOM-004-SCT2-1994 Not applicable. Not applicable. Not applicable. **14.4 PACKING GROUP** DOT TDG NOM-004-SCT2-1994 Not applicable. Not applicable. Not applicable. **14.5 ENVIRONMENTAL HAZARDS** Not available. 14.6 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE IBC CODE

Not available.



14.7 SPECIAL PRECAUTIONS FOR USER

Do not handle until all safety precautions have been read and understood.

Section 15: REGULATORY INFORMATION

15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/ LEGISLATIONS SPECIFIC FOR THE CHEMICAL

Canada: This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

US: SDS prepared pursuant to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Mexico: SDS prepared pursuant to NOM-018-STPS-2000.

SARA Title III				
Ingredient	Section 302 (EHS) TPQ (lbs.)	Section 304 EHS RQ (lbs.)	CERCLA RQ (lbs.)	Section 313
White mineral oil, petroleum	Not listed.	Not listed.	Not listed.	Not listed.
Alcohols, C12-15, ethoxylated propoxylated	Not listed.	Not listed.	Not listed.	Not listed.
Alcohols, C12-14-secondary, ethoxylated	Not listed.	Not listed.	Not listed.	Not listed.
9-Octadecenamide, N-(2-hydroxypropyl)-, (Z)-	Not listed.	Not listed.	Not listed.	Not listed.
Terpineol	Not listed.	Not listed.	Not listed.	Not listed.
Propylene oxide	10,000	100	100	313
1,4-Dioxane	Not listed.	Not listed.	100	313
Ethylene oxide	1,000	10	10	313

State Regulations

California Proposition 65:

This product contains chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

Global Inventories:

Fire:

Ingredient	Canada DSL/NDSL	USA TSCA
White mineral oil, petroleum	DSL	Yes.
Alcohols, C12-15, ethoxylated propoxylated	DSL	Yes.
Alcohols, C12-14-secondary, ethoxylated	DSL	Yes.
9-Octadecenamide, N-(2-hydroxypropyl)-, (Z)-	DSL	Yes.
Terpineol	DSL	Yes.
Propylene oxide	DSL	Yes.
1,4-Dioxane	DSL	Yes.
Ethylene oxide	DSL	Yes.
NFPA-National Fire Protection Association:		
lealth: 2		





	HMIS-Hazardous Materials Ide	ntification System:
Health:		2*
Fire:		1
Physical Ha	zard:	0
	ng: 0 = minimal, 1 = slight, 2 = moderate, 3 = ENCY CARCINOGEN CLASSIFICATIONS:	severe, 4 = extreme
SOURCE AG	ENCI CARCINOGEN CLASSIFICATIONS.	
CP65	California Proposition 65	
OSHA (O)	Occupational Safety and Health Adminis	tration.

- ACGIH (G) American Conference of Governmental Industrial Hygienists.
 - A1 Confirmed human carcinogen. A2 - Suspected human carcinogen.
 - A3 Animal carcinogen.
 - A4 Not classifiable as a human carcinogen.
 - A5 Not suspected as a human carcinogen.

IARC (I) International Agency for Research on Cancer.

1 - The agent (mixture) is carcinogenic to humans.

2A - The agent (mixture) is probably carcinogenic to humans; there is limited evidence of carcinogenicity in humans and sufficient evidence of carcinogenicity in experimental animals.

2B - The agent (mixture) is possibly carcinogenic to humans; there is limited evidence of carcinogenicity in humans in the absence of sufficient evidence of carcinogenicity in experimental animals.

- 3 The agent (mixture, exposure circumstance) is not classifiable as to its carcinogenicity to humans.
- 4 The agent (mixture, exposure circumstance) is probably not carcinogenic to humans.

NTP (N) National Toxicology Program.

- 1 Known to be carcinogens.
- 2 Reasonably anticipated to be carcinogens.

Section 16: OTHER INFORMATION

Date of Preparation:	August 15, 2014
Expiry Date:	August 15, 2017
Version:	1.0
Revision Date:	August 15, 2014

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

Prepared by:	Nexreg Compliance Inc. Phone: (519) 488-5126 www.nexreg.com
Prepared for:	Magnaflux

Magnaflux

End of Safety Data Sheet