

# Safety Data Sheet

## 1. Identification

Product identifier MI-GLOW® 778S-RTU

Other means of identification Not available.

Recommended use Non-destructive testing.

**Recommended restrictions** None known.

Manufacturer / Importer / Supplier / Distributor information

Company name Circle Systems, Inc. **Address** 479 West Lincoln Ave. P.O. Box 1228

Hinckley, IL 60520

**Telephone** 815-286-3271

customerservice@circlesafe.com E-mail

Chem-tel 800-255-3924 **Emergency phone number** 

## 2. Hazard(s) identification

Physical hazards Not classified.

**Health hazards** Serious eye damage/eye irritation Category 2A Category 1B

Reproductive toxicity (fertility, the unborn

child)

**OSHA** defined hazards Not classified.

Label elements



Signal word Danger

**Hazard statement** Causes serious eye irritation. May damage fertility or the unborn child.

**Precautionary statement** 

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye

protection/face protection.

Response If exposed or concerned: Get medical advice/attention. If in eyes: Rinse cautiously with water for

several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye

irritation persists: Get medical advice/attention.

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

Not classified.

## 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	CAS number	%
Boric acid	10043-35-3	< 5
Iron Oxide	1317-61-9	< 1
Butendioic acid, sulfo-1,4-bis(2-ethylhexyl) ester sodium salt	577-11-7	< 1

MI-GLOW® 778S-RTU SDS US

Issue date: 2-June-2014 915833 Version #: 01 Revision date: -

#### 4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a physician

if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Get medical attention if symptoms occur. Irritation of eyes and mucous membranes.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

treatment needed **General information**  Provide general supportive measures and treat symptomatically. Symptoms may be delayed.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. IF exposed or concerned: Get medical advice/attention.

## 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

None known.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire-fighting equipment/instructions

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Do not touch or walk through spilled material. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use. For waste disposal, see section 13 of the

**Environmental precautions** 

Avoid discharge into drains, water courses or onto the ground.

## 7. Handling and storage

Precautions for safe handling

Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear appropriate personal protective equipment. Avoid contact with eyes, skin, and clothing. Avoid breathing mist/vapors/spray. Use with adequate ventilation. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Store in a cool and well-ventilated place. Store away from incompatible materials (see Section 10 of the MSDS).

## 8. Exposure controls/personal protection

## Occupational exposure limits

## **US. ACGIH Threshold Limit Values**

Components	Туре	Value	Form	
Boric acid (CAS 10043-35-3)	STEL	6 mg/m3	Inhalable fraction.	_
,	TWA	2 mg/m3	Inhalable fraction.	
Biological limit values	No biological exposure limits noted for the ingredient(s).			

MI-GLOW® 778S-RTU SDS US Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide evewash station.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear protective gloves.

Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## 9. Physical and chemical properties

**Appearance** 

Physical state Liquid. **Form** Liquid. Color Dark green. Odor Detergent like. Odor threshold Not available.

pН 8 - 9

Not available. Melting point/freezing point Initial boiling point and boiling ~212°F (100°C)

range

Flash point Not applicable **Evaporation rate** Not available. Not available. Flammability (solid, gas) Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

Not available.

(%)

Flammability limit - upper

Not available. Explosive limit - lower (%) Explosive limit - upper (%) Not available. Not available. Vapor pressure Vapor density Not available. Relative density 1.0 (68 °F (20 °C)) Solubility(ies) Soluble in water. Partition coefficient

(n-octanol/water)

Not available.

Auto-ignition temperature **Decomposition temperature**  Not available. Not available. Not available.

Other information

**Viscosity** 

VOC (Weight %) Not applicable

## 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

MI-GLOW® 778S-RTU SDS US 3/6 915833 Version #: 01 Issue date: 2-June-2014 Revision date: -

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

## 11. Toxicological information

Information on likely routes of exposure

Expected to be a low ingestion hazard. Ingestion

Inhalation May cause irritation to the respiratory system.

Skin contact May cause skin irritation. Causes eye irritation. Eye contact

Symptoms related to the physical, chemical and toxicological characteristics Irritation of eyes and mucous membranes.

Information on toxicological effects

**Acute toxicity** 

Components **Species Test Results** 

Boric acid (CAS 10043-35-3)

**Acute** 

Dermal

LD50 Rabbit > 2000 mg/kg

Oral

LD50 Rat 2660 mg/kg

Butendioic acid, sulfo-1,4-bis(2-ethylhexyl) ester sodium salt (CAS 577-11-7)

**Acute** Oral

LD50 Mouse

2.64 g/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory sensitization No data available. Skin sensitization No data available. Germ cell mutagenicity No data available.

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Carcinogenicity

Reproductive toxicity May damage fertility or the unborn child.

Specific target organ toxicity -

single exposure

No data available.

Specific target organ toxicity -

repeated exposure

No data available.

**Aspiration hazard** No data available.

Chronic effects Prolonged inhalation may be harmful.

## 12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

**Species Test Results** Components

Boric acid (CAS 10043-35-3)

Aquatic

LC50 Fish Razorback sucker (Xyrauchen texanus) > 100 mg/l, 96 hours

Butendioic acid, sulfo-1,4-bis(2-ethylhexyl) ester sodium salt (CAS 577-11-7)

Aquatic

Fish LC50 Rainbow trout, donaldson trout 20 - 40 mg/l, 96 hours

(Oncorhynchus mykiss)

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available for this product.

Mobility in soil Not available.

MI-GLOW® 778S-RTU SDS US 4/6 Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

#### 13. Disposal considerations

**Disposal instructions** 

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

## 14. Transport information

DOT

Not regulated as a hazardous material by DOT.

IATA

Not regulated as a dangerous good.

**IMDG** 

Not regulated as a dangerous good.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

This substance/mixture is not intended to be transported in bulk.

## 15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely

hazardous substance

140

SARA 311/312 Hazardous

chemical

Yes

SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

Food and Drug Not regulated.

Administration (FDA)

US state regulations
US. Massachusetts RTK - Substance List

Not regulated.

MI-GLOW® 778S-RTU SDS US

#### US. New Jersey Worker and Community Right-to-Know Act

Not regulated.

## US. Pennsylvania RTK - Hazardous Substances

Not regulated.

#### **US. Rhode Island RTK**

Not regulated.

#### **US. California Proposition 65**

WARNING: This product contains a chemical known to the State of California to cause cancer.

#### US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Formaldehyde (CAS 50-00-0)

#### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No

<sup>\*</sup>A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

Toxic Substances Control Act (TSCA) Inventory

# 16. Other information, including date of preparation or last revision

Issue date 2-June-2014

Revision date - 01

United States & Puerto Rico

**NFPA Ratings** 



**List of abbreviations** LC50: Lethal Concentration, 50%.

LD50: Lethal Dose, 50%. TWA: Time weighted average.

References HSDB® - Hazardous Substances Data Bank

Disclaimer The information in this (M)SDS was obtained from sources which we believe are reliable but

cannot guarantee. Additionally, your use of this information is beyond our control and may be beyond our knowledge. Therefore, the information is provided without any representation or

warranty express or implied.

MI-GLOW® 778S-RTU SDS US

Yes

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).